

	Type	Hits	Search Text	DBs
1	IS&R	46	(398/26).CCLS.	USPAT
2	IS&R	44	(398/27).CCLS.	USPAT
3	IS&R	128	(398/37).CCLS.	USPAT
4	IS&R	62	(398/38).CCLS.	USPAT
5	IS&R	33	(398/16).CCLS.	USPAT
6	BRS	45	(noise or error) and ((398/26).CCLS.)	USPAT
7	BRS	44	(noise or error) and ((398/27).CCLS.)	USPAT
8	BRS	93	(noise or error) and ((398/37).CCLS.)	USPAT
9	BRS	51	(noise or error) and ((398/38).CCLS.)	USPAT
10	BRS	55930	(noise or error) with (generator or load\$3 or inject\$3)	USPAT; EPO; JPO
11	BRS	7	((noise or error) with (generator or load\$3 or inject\$3)) with wdm	USPAT; EPO; JPO
12	BRS	4857	((noise or error) with (generator or load\$3 or inject\$3)) with amplifier\$1	USPAT; EPO; JPO
13	BRS	331	((noise or error) near3 (load\$3 or inject\$3)) near3 amplifier\$1	USPAT; EPO; JPO
14	BRS	3	((((noise or error) near3 (load\$3 or inject\$3)) near3 amplifier\$1) same attenuator\$1	USPAT; EPO; JPO
15	BRS	3	((((noise or error) near3 (load\$3 or inject\$3 or pump\$3)) near3 amplifier\$1) same attenuator\$1	USPAT; EPO; JPO
16	BRS	0	(inject\$3 adj noise) with attenuator\$1 with amplifier\$1	USPAT; EPO; JPO
17	BRS	6	(inject\$3 adj noise) same attenuator\$1 same amplifier\$1	USPAT; EPO; JPO
18	BRS	1	((inject\$3 or load\$3) adj noise) same (optical adj attenuator\$1)	USPAT; EPO; JPO
19	BRS	1	((inject\$3 or load\$3) adj noise) same (optical adj network\$1)	USPAT; EPO; JPO
20	BRS	0	(noise adj generator\$1) with (optical adj attenuator\$1)	USPAT; EPO; JPO
21	BRS	0	(noise adj generator\$1) same (optical adj attenuator\$1)	USPAT; EPO; JPO
22	BRS	3	(noise adj generator\$1) same (wdm)	USPAT; EPO; JPO
23	BRS	16	(ase) with (optical adj attenuator\$1)	USPAT; EPO; JPO

	Type	Hits	Search Text	DBs
24	BRS	0	(noise near1 (loading or inject\$3)) with (optical adj attenuator\$1)	USPAT; EPO; JPO
25	BRS	1	(noise near1 (loading or inject\$3)) same (optical adj attenuator\$1)	USPAT; EPO; JPO
26	BRS	49	(noise near1 (loading or inject\$3)) same (optical)	USPAT; EPO; JPO
27	BRS	0	(test\$1 with verification\$1) with (optical adj network\$1)	USPAT; EPO; JPO
28	BRS	1	(test\$1 with verification\$1) same (optical adj network\$1)	USPAT; EPO; JPO
29	BRS	2	(noise adj generator\$1) same (optical adj network\$1)	USPAT; EPO; JPO
30	BRS	0	((noise adj generator\$1) same (optical adj network\$1)) and attenuator\$1	USPAT; EPO; JPO
31	BRS	0	((noise adj generator\$1) same (optical adj network\$1)) and snr	USPAT; EPO; JPO
32	BRS	1	((noise adj generator\$1) same (optical adj network\$1)) and ratio	USPAT; EPO; JPO
33	BRS	1	((noise adj generator\$1) same (optical adj network\$1)) and osnr	USPAT; EPO; JPO
34	BRS	0	(noise adj generator\$1) with (optical adj attenuator)	USPAT; EPO; JPO
35	BRS	0	(noise adj generator\$1) same (optical adj attenuator)	USPAT; EPO; JPO
36	BRS	112	(noise adj generator\$1) same (attenuator\$1)	USPAT; EPO; JPO
37	BRS	60	(noise adj generator\$1) with (attenuator\$1)	USPAT; EPO; JPO
38	BRS	4	((noise adj generator\$1) with (attenuator\$1)) and optical	USPAT; EPO; JPO
39	BRS	19	(noise adj generator\$1) same (variable adj attenuator\$1)	USPAT; EPO; JPO
40	BRS	1	(optical adj test adj signal) same attenuat\$5 same noise	USPAT; EPO; JPO
41	BRS	5	((398/27).CCLS.) and (test adj signal)	USPAT
42	BRS	2	((((398/27).CCLS.) and (test adj signal)) and ber	USPAT
43	BRS	5242	noise adj amplifier	USPAT
44	BRS	3	optical adj noise adj amplifier	USPAT
45	BRS	134	(noise adj source) near3 amplifier	USPAT
46	BRS	33	(noise adj source) near1 amplifier	USPAT
47	BRS	0	((noise adj source) near1 amplifier) and voa	USPAT

	Type	Hits	Search Text	DBs
48	BRS	2	((noise adj source) near3 amplifier) and voa	USPAT
49	BRS	0	(optical adj attenuator\$1) with series with noise	USPAT
50	BRS	8	(optical adj attenuator\$1) same series same noise	USPAT
51	BRS	1	(optical adj attenuator\$1) with (noise adj (source or generator))	USPAT
52	BRS	2	(optical adj attenuator\$1) with (signal adj noise adj ratio)	USPAT
53	BRS	2	(optical adj amplifier\$1) near3 ((fix\$2 or constant) adj (power adj level))	USPAT
54	BRS	0	((optical adj amplifier\$1) near3 ((fix\$2 or constant) adj (power adj level))) and noise	USPAT
55	IS&R	1	("6580531").PN.	USPAT
56	BRS	0	((optical adj amplifier\$1) near3 ((fix\$2 or constant) adj (power adj level))) and test	USPAT
57	BRS	0	((("6580531").PN.) and (test\$3 adj signal)	USPAT
58	BRS	1	((("6580531").PN.) and (test\$3)	USPAT
59	IS&R	1	("6580531").PN.	USPAT
60	BRS	1	((("6580531").PN.) and network\$1	USPAT